



Dear honorable Customer,

We would like to inform you that from January 01st, 2012 on THE ENG GROUP LLC is nominated as an official distributor of FUCHS EUROPE SCHMIERSTOFFE GMBH for automotive aftermarket lubricants made in Mannheim / Germany.

In this function THE ENG GROUP LLC is allowed to distribute the FUCHS products supplied from the Export Division of FUCHS EUROPE SCHMIERSTOFFE GMBH to the State of Florida of the United States of America.

We welcome THE ENG GROUP LLC to our global distributor sales organisation and are looking forward to a common future business relationship.


THE ENG GROUP

WE STOCK, DISTRIBUTE & SALE | MAKE YOUR WHOLESALE ORDERS | **E-MAIL: HEDI@ENGHELBERG.COM**
FLORIDA USA B. (954) 323.2024 | M. (954) 778.8543 | FAX. (305) 393.8111 | **E-MAIL**



	Product Name	MB Approval	Performance Level	Recommended for OEM Part No.
Engine Oils	TITAN GT1 5W-40	MB 229.31 MB 226.5		A 000 989 89 01 -
	TITAN GT1 PRO FLEX 5W-30	MB 229.51		A 000 989 97 01 A 001 989 06 01
	TITAN SUPERSYN 5W-30	MB 229.3		-
	TITAN SUPERSYN 5W-40	MB 229.3		A 000 989 82 01
	TITAN SUPERSYN LONGLIFE 5W-40	MB 229.5 MB 226.5		A 000 989 83 01 -
	TITAN SYN MC 10W-40	MB 229.1		A 000 989 33 01
Automatic Transmission	TITAN ATF 7134 FE	MB 236.15		A 001 989 77 03 A 001 989 78 03
	TITAN ATF 4134	MB 236.14		A 001 989 68 03
	TITAN ATF CVT	MB 236.20		A 001 989 46 03
	TITAN DCTF			
Grease	RENOLIT LX-PEP 2	MB 265.1		A 002 989 00 51
Power Steering	TITAN ZH 4300 B	-	MB 345.0	A 001 989 24 03
	TITAN ZH 3044			
	TITAN PSF	MB 236.3		A 000 989 88 03

TITAN

Engine oils for passenger cars		Specifications	Approvals	FUCHS recommendations
TITAN GT1 PRO FLEX SAE 5W-30 	Premium Performance engine oil with new XTL®-technology for optimum cold start ability and outstanding performance reserves. For modern passenger cars and light commercial vehicles with or without extended service intervals. Specially developed for BMW, Mercedes-Benz and Opel vehicles with exhaust after treatment and turbocharger.	ACEA C3 API SN/SM	BMW LONGLIFE-04 dexos2™ (GB2C0209075) MB-APPROVAL 229.51 VW 502 00/ 505 00/ 505 01	ACEA A3/B4 FORD M2C917-A supersedes GM-LL-A-025 supersedes GM-LL-B-025
TITAN Supersyn LONGLIFE SAE 5W-40	Ultra High Performance, fuel-economy oil for a variety of vehicles with or without extended service intervals. Optimum cold starting and lower oil consumption.	ACEA A3/B4 API SN/SM/CF	BMW LONGLIFE-01 MB-APPROVAL 226.5 MB-APPROVAL 229.5 PORSCHE A40 RENAULT RN0700/ RN0710 VW 502 00/ 505 00	GM-LL-B-025 HYUNDAI

MB 229.5 supersedes MB 229.3

TITAN

Automatic transmission fluids (ATF)		Specifications	Approvals	FUCHS recommendations
TITAN ATF 7134 FE	Premium Performance ATF with reduced viscosity, especially developed to further optimize fuel economy and gearbox efficiency of latest generation Mercedes-Benz 7-speed automatic transmissions. Not downwards compatible with previous MB-ATF-Specifications.		MB-APPROVAL 236.15	
TITAN ATF 4134	Ultra High Performance ATF, specially developed to optimize shifting performance of Mercedes-Benz automatic transmissions.		MB-APPROVAL 236.14 SSANG YONG (MB-automatic transmissions)	
TITAN ATF CVT	Ultra High Performance fluid specially designed for use in many CVT-gearboxes using push-belts or transmission chains made of steel.		MB-APPROVAL 236.20 FORD WSS-M2C928-A	BMW 83 22 0 136 376 BMW 83 22 0 429 154 NISSAN NS-2 TOYOTA TC VW TL 521 80 (G 052 180)
TITAN PSF	Super High Performance power steering fluid approved by Mercedes-Benz for passenger cars and commercial vehicles.		MB-APPROVAL 236.3	



THE ENG GROUP



TITAN

Double clutch transmission fluids (DCTF)		Specifications	Approvals	FUCHS recommendations
TITAN DCTF NEW	Premium Performance DCTF, specially developed for modern Double Clutch Transmission with wet clutch. The wide performance profile offers the use in diverse Double Clutch Transmissions of different manufacturers. Provide optimum wear protection and excellent shifting properties even under hard conditions over the whole lifetime.			BMW Drivelogic 7-speed CHRYSLER Powershift 6-speed FORD Powershift 6-speed MITSUBISHI TC-SST 6-speed PEUGEOT DCS 6-speed CITROËN DCS 6-speed RENAULT EDC 6-speed VOLVO Powershift 6-speed VW (AUDI, SEAT, SKODA) 6-speed FWD

TITAN

Central hydraulic / Power steering fluids		Specifications	Approvals	FUCHS recommendations
TITAN ZH 4300 B	Premium Performance central hydraulic oil formulated with fully-synthetic base oils.		MAN M 3289	BMW 81 22 9 407 758 BMW 82 11 1 468 041 BMW 83 29 0 429 576 CHRYSLER MS-11655B FORD M2C204-A OPEL 19 40 715 OPEL 19 40 766 PSA 571 2710 VOLVO 1161529 VW TL 521 46 (G 002 000/A7/A8/G 004 000)
TITAN ZH 3044	Ultra High Performance power steering and central hydraulic oil for automotive applications.	CHRYSLER MS-11655B	VW TL 52519-B	AUDI/VW G 004 000 M2 PORSCHE 000 043 206 56 SAAB 93160548 VOLVO 307 414 24



RENOLIT

Specialties – Greases	Specifications	Approvals	FUCHS recommendations
<p>RENOLIT LX-PEP 2 Also in NLGI grade 1/2 and 3 available.</p>	<p>Special grease based on lithium complex soaps for long-life applications. Good corrosion protection, thermally and mechanically stable, specially suitable for wheel bearings of cars and trucks, -30 °C to +150 °C.</p>	<p>MAN 284 LI-H 2 MB-APPROVAL 265.1 SCHAEFFER DB-Kenndatenblatt 873 499 ZF TE-ML 12 VW TL 52147X INTERPRECISE</p>	